

Calderon, Wanda

From: Bean, Mark
Sent: Friday, October 30, 2015 8:57 AM
To: Dorsey, Alicia
Subject: RE: Crosslinking

Yes.

Mark Bean
U.S. Environmental Protection Agency – Region 2
Pesticides & Toxic Substances Branch
2890 Woodbridge Avenue
Edison, NJ 08837
Phone: 732-321-6606; Fax: 732-321-6788

From: Dorsey, Alicia [<mailto:Alicia.Dorsey@saint-gobain.com>]
Sent: Friday, October 30, 2015 8:55 AM
To: Bean, Mark
Subject: RE: Crosslinking

Sure. Are we still on for a call at 9:30?

From: Bean, Mark [<mailto:Bean.Mark@epa.gov>]
Sent: Friday, October 30, 2015 8:52 AM
To: Dorsey, Alicia
Subject: RE: Crosslinking

I've been out of the office all week. Can I get back to you next week?

Mark Bean
U.S. Environmental Protection Agency – Region 2
Pesticides & Toxic Substances Branch
2890 Woodbridge Avenue
Edison, NJ 08837
Phone: 732-321-6606; Fax: 732-321-6788

From: Dorsey, Alicia [<mailto:Alicia.Dorsey@saint-gobain.com>]
Sent: Thursday, October 29, 2015 10:56 AM
To: Bean, Mark
Subject: RE: Crosslinking

Hi Mark. I am pulling together all the requested information and just realized that we are awaiting clarification from you as to whether or not crosslinking is a process that would fall under the Sections we discussed.

Please let me know what you were able to find.

Cordially,

Alicia M. Dorsey, M.S.E.

EHS Manager| Saint-Gobain Performance Plastics

14 McCaffrey St.|Hoosick Falls, NY 12090

Office: (518)-686-6278

Cell: (518) 203-9127

